

## LP-SPEED 2000 RT/TL photographic machine developer

---

### 1) IDENTIFICATION

**Product name/trade name** LP-SPEED 2000 RT, LP-SPEED 2000 TL

**Product Code:** LPP22, LPP24

**Presentation:** 2x 5L, 2x 4L

**Manufacturer /Supplier:** Hans O. Mahn & Co. KG, MACO PHOTO PRODUCTS  
Brookstiege 4, 22145 Stapelfeld, Germany

**Telephone No:** + 49 (40) 237008-0

**Fax:** + 49 (40) 237008-488

**Email:** photo@mahn.net

---

### 2) COMPOSITION/INFORMATION ON INGREDIENTS

**Product Description:**

A water based monochrome photographic developer containing the following components contributing to hazard:

	CAS NO	%w/w
Hydroquinone	123-31-9	2-5
Potassium Hydroxide	1310-58-3	2-5

---

### 3) HAZARDS IDENTIFICATION

**Human Health Hazards:**

Irritating to skin. Harmful. Possible risk of Irreversible effects. May cause sensitisation by skin contact. Limited evidence of a carcinogenic effect.

**Safety Hazards:**

Contact with acids liberates harmful gas, (sulphur dioxide).  
Contact with photographic Fixer liberates irritant gas (ammonia).

**Environmental Hazards:**

Will cause short term oxygen depletion if allowed to enter aquatic environment.

---

## **LP-SPEED 2000 RT/TL photographic machine developer**

---

### **4) FIRST AID MEASURES**

**Eyes:**

Flush immediately with eye-wash solution or clean water for at least 15 minutes holding the eyelids apart. Obtain medical attention if irritation or redness develops.

**Inhalation:**

Inhalation of the product is unlikely to occur. No vapour hazard exists under normal conditions of use.

**Skin Contact:**

Remove any contaminated clothing. Wash skin with cold water then thoroughly with a neutral, (non-alkaline) cleanser and water. Thoroughly wash contaminated clothing before re-use. Obtain medical attention if irritation develops.

**Ingestion:**

Rinse mouth with water and drink about two glasses of water. Do not induce vomiting. Obtain medical attention.

IN ALL CASES OF DOUBT OR IF SYMPTOMS PERSIST, SEEK MEDICAL ADVICE. SHOW THE PRODUCT LABEL AND THIS SAFETY DATA SHEET TO THE DOCTOR

---

### **5) FIRE-FIGHTING MEASURES**

Not classified as flammable (water based). If involved in a major fire, toxic gases (CO, SO<sub>2</sub>) could be produced.

**Extinguishing Media:**

Suitable for the surrounding fire.

**Protective Equipment:**

Self-contained respiratory equipment.

---

### **6) ACCIDENTAL RELEASE MEASURES**

**Personal Protection:**

When dealing with spillages of concentrate or working strength solution, use the personal protection specified in Section 8. Ensure spill area is well ventilated.

**Environmental Precautions:**

Prevent large spillages from entering drain by absorption into inert absorbent material (eg. dry sand or earth) and transfer to a container for disposal by a licensed waste contractor. Wash small spillages to drain with copious amounts of water.

**Cleaning Up:**

After collecting the bulk of the spillage thoroughly wash area to drain with water.

## **LP-SPEED 2000 RT/TL photographic machine developer**

---

### **7) HANDLING AND STORAGE**

**Handling:**

When handling product concentrates, avoid contact with eyes, skin and clothing. Use in a well ventilated area. Avoid contact with the working strength solution. After handling, the routine use of a neutral, (non-alkaline), hand cleanser will minimise the risk of adverse skin reaction.

**Storage:**

Store in a dry, well ventilated area at a moderate temperature. Store away from incompatible substances, (see Section 10).

---

### **8) EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Relevant Exposure Limits:**

None.

**Engineering Measures:**

Ensure good ventilation or local exhaust ventilation of the working area.

**Hand Protection:**

Wear impervious gloves when handling concentrates and to prevent contact with the working strength solution.

**Eye Protection:**

Wear safety glasses with side shields as the minimum level of protection. Provide eye-wash bottles in the immediate working area.

---

### **9) PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance:** Pale yellow liquid

**Odour:** Slight

**pH at 20°C:** 11.3

**Weight per ml  
at 20°C:** 1.305

**Freezing Point:** <5°C

**Flammability** Not flammable

**Solubility in water:** Completely soluble

## **LP-SPEED 2000 RT/TL photographic machine developer**

---

### **10) STABILITY AND REACTIVITY**

**Stability:**

Stable under recommended storage conditions.

**Materials to avoid:**

Avoid contact with strong acids and oxidising agents. Avoid contact of the concentrate and working strength solution with photographic fixer, (Ammonia will be liberated from the fixer)

**Hazardous Decomposition Products:**

None under normal conditions of use.

---

### **11) TOXICOLOGICAL INFORMATION**

**Eye Contact:**

May cause irritation. If eye-washing has not been thorough, corneal clouding may occur (hydroquinone).

**Skin Contact:**

Prolonged or repeated contact may cause irritation and possible sensitisation.

**Ingestion:**

Ingestion of the liquid concentrate is likely to cause irritation of the mouth and gastro-intestinal tract. Systemic toxicity is expected to be low.

**Inhalation** (of the liquid):

Likely to cause irritation and inflammation to mucous membrane. No vapour hazard.

---

### **12) ECOLOGICAL INFORMATION**

The following summary of expected environmental effects is based on known data for the principal ingredients and on the physico-chemical properties of the preparation.

A moderate bio-chemical oxygen demand will result in short term oxygen depletion in the aquatic environment, with subsequent localised damage to plant and animal organisms. Harmful short term effects are rapidly reduced by dilution, oxidation and photodecomposition and the product has a very low potential to persist in a harmful form.

As a result of the above properties, precautions should be taken to avoid release of the product or working strength solution into the environment, (see Section 13).

---

## **LP-SPEED 2000 RT/TL photographic machine developer**

---

### **13) DISPOSAL CONSIDERATIONS**

**Surplus Product and Working Strength Solution:**

Disposal should be in accordance with current local and national legislation and only by a licensed waste contractor. Do not dispose of either concentrate or working strength solutions into drains, sewers or waterways or on to soil.

**Plastic Containers:**

Rinse thoroughly with water and dispose as solid waste to land fill or re-cycle where possible.

**Cardboard Cartons:**

Re-cycle where possible or treat as solid waste.

---

### **14) TRANSPORT INFORMATION**

Not classified as hazardous for transport purposes.

---

### **15) REGULATORY INFORMATION**

Contains Hydroquinone and Potassium Hydroxide.

**Hazard Symbol:** Xn Harmful

<b>Risk Phrases:</b>	R36/38	Irritating to eyes and skin.
	R40	Limited evidence of a carcinogenic effect.
	R43	May cause sensitisation by skin contact.
	R68	Possible risks of irreversible effects.
<b>Safety Phrases:</b>	S2	Keep out of reach of children
	S36/37	Wear suitable protective clothing, gloves.
	S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. (Show the label where possible)

---

### **16) OTHER INFORMATION**

The information contained in this Safety Data Sheet is to our best present knowledge correct and complete and is given in good faith but without warranty. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.